## AMENDMENTS TO THE CLAIMS

2

## Claim 1 - 19 (Cancelled)

Claim 20 (Currently Amended): A method for diagnosing the determining an increased risk of restenosis after coronary angioplasty in a Japanese man, comprising the following steps (i) to (iii):

- (i) analyzing detecting the following genotypes at polymorphisms (1), [[(3)]] (2), and
  [[(4)]] (3) in a nucleic acid sample from said Japanese man;
- (1) polymorphism at the base number detecting a genotype comprising at least one allele of the apolipoprotein E gene comprising a C at position 3932 (the 3932nd-base of SEQ ID NO:1) of the human apolipoprotein E gene;
- [[(3)]] (2) polymorphism at the base number position—863 (the 197th base of SEQ ID NO:3) of the human detecting a genotype comprising at least one allele of the tumor necrosis factor-\alpha gene comprising an A at position 197 of SEQ ID NO: 3; and
- [[(4)]] (3) polymorphism at the base number position 825 (the 831st base of SEQ ID NO:4)of the human detecting a genotype comprising two alleles of the G-protein β3 subunit gene wherein each allele comprises a T at position 831 of SEQ ID NO: 4; and
- (ii) determining, based on the information about polymorphism which was obtained in the step (i), the genotype of the nucleic acid sample; and
  - (iii) assessing, based on the genotype determined, a genetic-risk of restenosis after-coronary angioplasty in a correlating the detected genotypes with an increased risk of restenosis after coronary angioplasty in said Japanese man.